

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier TrueVIS INK, TR2-LC
- 1.2. Relevant identified uses of the substance or mixture and uses advised against Inkjet Printing
- 1.3. Details of the supplier of the safety data sheet

Manufacturer:Roland DG CorporationAddress:1-6-4 Shinmiyakoda, Kita-ku, Hamamatsu-shi,
Shizuoka-ken, 431-2103
JAPANPhone:+ 81-53-484-1224
+ 81-53-484-1226

E-mail Address:	
Prepared date:	

9 November, 2018

1.4. Emergency telephone:

2. Hazard identification

2.1. Classification of the substance or mixture

Flammable liquids	Category 4
Acute toxicity - oral	Category 5
Skin corrosion/irritation	Category 2
Eye damage/irritation	Category 1

2.2. GHS label elements, incliding precautionary statements Pictogram



Signal word(s)

Danger

Hazard statement(s)

Combustible liquid. May be harmful if swallowed. Causes skin irritation. Causes serious eye damage.



Precautionar	y statement(s)	
	Prevention	Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
		Wear protective gloves/protective clothing/eye protection/face protection.
	Response	IF ON SKIN: Wash with plenty of soap and water.
	-	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
		lenses, if present and easy to do. Continue rinsing.
		Call a POISON CENTER or doctor/physician if you feel unwell.
	Storage	Store in a well-ventilated place. Keep cool.
2.3. Other hazard	ls	
Potential Health	Effects:	
Eyes:		Causes severe eye injury which may persist for several days.
Skin:		Contact with skin may cause irritation, swelling or redness, allergic sensitization.
Inhalation:		Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
Ingestion:		May cause injury of mouth, throat, and stomach.
Chronic Hea	lth Hazards:	Repeated skin contact may cause a persistent irritation or dermatitis.
Carcinogenio	city:	None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

3. Composition/information on ingredients

Chemical nature: mixture

Composition	CAS No.	EC No.	EU registration No.	% By Weight	Classification EC No. 1272/2008
Diethylene glycol diethyl ether	112-36-7	203-963-7	N/A for the moment	55-65	Skin Irrit. 2: H315
Dialkylene glycol dialkyl ether	C.B.I.	C.B.I.	N/A for the moment	10-20	Not classified as hazardous
γ-butyrolactone	96-48-0	202-509-5	N/A for the moment	10-20	Acute Tox. 4: H302 Eye Dam. 1: H318 STOT SE 3: H336
Triethylene glycol monobutyl ether	143-22-6	205-592-6	N/A for the moment	1-10	Eye Dam. 1: H318
Synthetic resins	C.B.I.	C.B.I.	N/A for the moment	1-10	Not classified as hazardous
Colorant	C.B.I.	C.B.I.	N/A for the moment	<1	Not classified as hazardous

*C.B.I.: Confidential Business Information

*For the full text of the H-Statements mentioned in this Section, see Section 16.

4. First aid measures

4.1.	Descri	otion	of first	aid	measures
1.1.	Deserr	puon	or mot	uiu	mousures

Eyes:	In case of contact, immediately flush eyes with plenty of water for several minutes. Hold eyelids open during flushing. Call a physician.
Skin:	In case of contact, immediately flush with plenty of water while removing contaminated clothing and shoes. Wash contaminated clothing before reuse. If swelling or redness occurs, call a physician.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.
Ingestion:	If swallowed, DO NOT induce vomiting. Seek immediate medical advice.
4.2. Most important sy	mptoms and effects, both acute and delayed
Eyes:	Causes severe eye injury which may persist for several days.
Skin:	Contact with skin may cause irritation swelling or redness allergic sensitization

- Skin:Contact with skin may cause irritation, swelling or redness, allergic sensitization.Inhalation:Exposure to vapors (mist) will cause respiratory irritation and anesthesia.
- Ingestion: May cause injury of mouth, throat, and stomach.
- 4.3. Indication of immediate medical attention and special treatment needed No information

5. Firefighting measures

- 5.1. Extinguishing media
- Suitable extinguishing media:

Dry chemical, Foam, Carbon dioxide, Dry sand, Loaded stream in spray.

- Unsuitable extinguishing media:
 - Water, High-pressure water jet
- 5.2. Special hazards arising from the substance or mixture Hazardous decomposition products: Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors. Flash Point: 71 deg.C
- 5.3. Advice for firefighters

Wear special chemical protective clothing and positive pressure self-contained breathing apparatus(SCBA). Approach fire from upwind to avoid hazardous vapors and toxic decomposition products. Decontaminate or discard any clothing that may contain chemical residues. Applying direct water may be dangerous because fire may expand to surroundings.

6. Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus and wear appropriate personal protective equipment.
- 6.2. Environmental precautions Wipe off spillage. Prevent liquid from entering sewers, waterways or low areas.
- 6.3. Methods and material for containment and cleaning up Sweep up material and dispose as waste following local regulations.



6.4. Reference to other sections

Refer to "Section 8 Exposure controls/ personal protection" and "Section 13 Disposal consideration" as appropriate.

7. Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes, skin and clothing. Use proper ventilation and no fire in work place. Put protection wear that has electrical conductivity in case of work. Keep out of reach of children and do not drink.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Do not store the product in high or freezing temperatures. Keep the product out of direct sunlight. Do not store the product with metals, amines, free radical initiators, oxidising agents.

7.3. Specific end use(s): Inkjet printing

8. Exposure controls/ personal protection

8.1. Control parameters

Occupational Exposure Limits:

EU:

DNEL(Derived No Effect Level)

components	Long term exposure	Short term exposure
Diethylene glycol diethyl ether	50.05mg/m ³	-
γ-butyrolactone	130mg/m^3	958mg/m^3

8.2. Exposure controls:

Appropriate engineering controls:	Provide general and/or local exhaust ventilation.
Respiratory protection:	In case ventilation is insufficient, employee must use NIOSH approved air purifying respiratory protection equipment. Use a half facepiece respirator (with goggles) or full face-piece respirator (without goggles) filtered with organic vapor cartridge.For emergency and other conditions where the exposure guideline may be exceeded, use an approved positive-pressure self-contained breathing apparatus or positive-pressure airline with auxiliary self contained air supply. WARNING: Air-purifying respirators do not protect workers in oxygen-deficient atmospheres.
Hand protection:	Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, use protective gloves. Recommended impervious gloves is butyl rubber glove.
Eye protection:	Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear safety glasses or chemical splash goggles.



Skin protection:	Not required under suitable use as setting the ink on the printer. However, in case of direct contact to the ink, wear protective clothing.
Hygiene measures:	Wash hands after handling. In case contact with clothing, wash before reuse. Do not eat, drink or smoke in handling or storage area.
Environmental exposure control:	Avoid release to the environment.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:	Cyan Liquid
Odour:	Slightly
Odour threshold:	No data available
pH:	Not applicable
Melting point/freezing point:	No data available
Flash point:	71 deg.C
Evaporation rate:	No data available
Flammability(solid,gas):	Not applicable
Upper/lower flammability or	No data available
explosive limits:	
Vapor pressure:	No data available
Vapor density:	No data available
Relative density:	No data available
Solubility(ies):	No data available
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Viscosity:	No data available
Explosive properties:	No data available
Oxidizing properties:	None
Volatile organic compounds (VOC)	950 g/L
content:	

9.2. Other information: No data available

10. Stability and reactivity

10.1. Reactivity:	No reactivity under normal temperature
10.2. Chemical stability:	Stable under normal temperature.
10.3. Possibility of hazardous reactions:	Not expected.
10.4. Conditions to avoid:	Elevated temperatures/heat, UV light, when not in use.
10.5. Incompatible materials:	Avoid contact with acids, amines, free radical initiators, oxidizing agents.
10.6. Hazardous decomposition products:	Carbon monoxide, carbon dioxide, oxides of nitrogen, toxic gases/vapors.

11. Toxicological information

11.1. Information on toxicological effects

Routes of Overexposure:	Eye, skin, inhalation, and oral	
Acute toxicity:		
	Diethylene glycol diethyl ether	
	LD50 (oral-rat)	4790 mg/kg
	LD50 (skin-rat)	No data available
	γ-butyrolactone	
	LD50 (oral-rat)	1580 mg/kg
	LD50 (skin-marmot)	5600 mg/kg



Skin corrosion/irritation:	No data available	
	Causes skin irritation. (Diethylene glycol diethyl ether)	
Serious eye damage/eye irritation:	No data available	
	Causes serious eye damage. (γ-butyrolactone)	
Respiratory or skin sensitisation:	No data available	
Germ cell mutagenicity:	No data available	
Reproductive toxicity:	No data available	
Carcinogenicity:	None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)	
STOT-single exposure:	No data available	
STOT-repeated exposure:	No data available	
Aspiration hazard:	No data available	
12. Ecological information		
12.1. Toxicity:	No data available	
12.2. Persistence and degradability:	No data available	
12.3. Bioaccumulative potential:	No data available	
12.4. Mobility in soil:	No data available	
12.5. Results of PBT and vPvB assessme	ent: Has not carried out PBT and vPvB assessment.	
12.6. Other adverse effects:	No data available	
13. Disposal considerations 13.1. Waste treatment methods:		
-	rdous waste according to Directive 2008/98/EC. Treatment, storage, transportation and applicable federal, state/provincial, and local regulations. Do not flush to surface	

14. Transport information

14.1. UN Class/UN Number:	
ADR/ADG/DOT, IMDG, or IATA :	Not regulated
14.2. UN proper shipping name:	
ADR/ADG/DOT, IMDG, or IATA :	Not regulated
14.3. Transport hazard class(es):	
ADR/ADG/DOT, IMDG, or IATA :	Not regulated
14.4. Packing group:	
ADR/ADG/DOT, IMDG, or IATA :	Not regulated
14.5. Environmental hazards:	
ADR/ADG/DOT, IMDG, or IATA :	Not regulated
14.6. Special precautions for user:	Transport and storage of the product in accordance with general
	precautions and instructions mentioned in this SDS.
	CLARDEN FOR THE T

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and IBC code:

Not regulated



15. Regulatory information

EU Information:

Chemical Safety Assessment according to (EC)1907/2006: This product has not carried out any Chemical Safety Assessment yet.

Australia Information: Hazardous statement: Classified as hazardous according to NOHSC criteria.

International Information: None of the ingredients in this ink is listed by IARC as a carcinogen. (1,2A and 2B)

16. Other information

List of relevant H-Statements:

H302 Harmful if swallowed.H315 Causes skin irritation.H318 Causes serious eye damage.H336 May cause drowsiness or dizziness.

The information in this Safety Data Sheet (SDS) is believed to be correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is subject to revision as additional knowledge and experience is gained. Roland DG does not warrant the completeness or accuracy of the information contained herein.